



STARFIRE
MINERALS INC.

STARFIRE MINERALS INC.
520 – 355 BURRARD STREET
VANCOUVER, B.C.
V6C 2G8

Telephone: 604.669.5642

Facsimile: 604.687.6714

TSXV: SFR

August 15, 2005

NEWS RELEASE

**STARFIRE MINERALS CONTINUES SAMPLING NEW DISCOVERIES ON CAPRI-II
& III PROPERTIES, WHILE DRILLING CONTINUES ON THE CAPRI-I**

Starfire Minerals Inc. is continuing with drilling for uranium on their Capri I grid while mapping, prospecting and geophysical work is in progress on the Capri II and Capri III grids. Panel and channel sampling within Capri III grid returned the following counts-per-second (CPS) using a GM-130 Spectrometer. The counts-per-second is a measure of the gamma ray emissions from a bedrock source. A CPS reading includes emissions from uranium, thorium and daughter elements. Readings above twice the background CPS are considered anomalous and are sampled. The background CPS in the area of Grid III is 100.

Table1: Panel and Channel Samples Collected from Capri III Grid.

Sample ID	CPS	Sample Location
WZ CH-A 01	1,300	1 metre channel sample along strike
WZ CH-A 02	1,000	1 metre channel sample along strike consecutive to WZ CH-A 01
WZ CH-A 03	500	1 metre channel sample along strike consecutive to WZ CH-A 02
WZ CH-A 04	320	1 metre channel sample along strike consecutive to WZ CH-A 03
WZ CH-A 05	300	1 metre channel sample along strike consecutive to WZ CH-A 04
WZ CH-AX 01	300	1 metre channel sample across strike at WZ CH-A 03
WZ TR-A PAN 01	10,000	Panel sample at Trench A. 0.5 metre long sample along strike
WZ TR-A PAN 02	2,000	Panel sample at Trench A. 0.5 metre long sample along strike adjacent to WZ TR-A PAN 01
WZ TR-B PAN 01	16,000	Panel sample at Trench B. 0.5 metre long sample along strike. Trench B is 3m along strike from Trench A
WZ TR-B PAN 02	24,000	Panel sample at Trench B. 0.5 metre long sample along strike
WZ TR-B Bloc Grab	28,000	Grab sample from Trench B. (18,000-28,000 CPS)
WZ TR-C PAN 01	14,000	Panel sample at Trench C. 0.5 metre long sample along strike. Trench C is 2m along strike from Trench B
WZ TR-C PAN 02	13,000	Panel sample at Trench C. 1m long sample along strike
WZ TR-D PAN 01	1,400	Panel sample at Trench D. 1m long sample along strike. Trench D is 15m along strike from Trench C

All of the samples were taken from pegmatite and pegmatite granites in trenches about one meter wide, one meter deep and ten meters long. The Company is awaiting assay results for these samples, which were delivered to Lakefield Laboratories last week. The Capri III grid samples are likely potential drill targets and will be prioritized based on positive results of chemical assays.

ON BEHALF OF THE BOARD OF DIRECTORS OF

STARFIRE MINERALS INC.

“Freeman Smith”

Freeman Smith, P. Geo.
Director/Qualified Person NI 43-101

THIS PRESS RELEASE WAS PREPARED BY MANAGEMENT WHO TAKES FULL RESPONSIBILITY FOR ITS CONTENTS.
THE TSX VENTURE EXCHANGE NEITHER APPROVES NOR DISAPPROVES OF THIS PRESS RELEASE.